



## Structure-property relationship in silicone networks

Juraskova, Alena; Dam-Johansen, Kim; Olsen, Stefan Møller; Skov, Anne Ladegaard

*Publication date:*  
2018

*Document Version*  
Peer reviewed version

[Link back to DTU Orbit](#)

*Citation (APA):*

Juraskova, A., Dam-Johansen, K., Olsen, S. M., & Skov, A. L. (2018). Structure-property relationship in silicone networks. Abstract from 9th European Silicon Days, Saarbrücken, Germany.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

## Structure-property relationship in silicone networks


Alena Jurásková<sup>1,2</sup>, Kim Dam-Johansen<sup>1</sup>, Stefan Møller Olsen<sup>3</sup>, Anne Ladegaard Skov<sup>2</sup>

<sup>1</sup> CoaST/<sup>2</sup>DPC, Department of Chemical and Biochemical Engineering, Technical University of Denmark (DTU), Building 229, DK-2800 Kgs Lyngby, Denmark.

<sup>3</sup>Hempel A/S, Lundtoftegårdsvej 91, DK-2800 Kgs. Lyngby, Denmark.

Silicone networks find use in broad range of applications in electronic, medical, automobile, aerospace and many other industrial fields. The inherent softness and strong covalent bonds between silicium and oxygen provide the silicone network with most of its favorable properties such as thermal and oxidation stability, flexibility, hydrophobicity, and low surface energy. However, silicone elastomers suffer from poor mechanical properties due to the inherent softness of the network. The mechanical properties of the silicone networks can be improved e.g. by addition of fillers or by chemical modification of the network. Nevertheless, such modifications often comes together with deterioration of some of the desirable properties mentioned above.<sup>[1]</sup>

In this work, different silicone network structures (Fig.1) and their input on the mechanical properties will be investigated with the mail goal to maintain the favorable properties of silicone elastomers while improving the mechanical properties. The different types of silicone network structures will be formed by condensation curing reaction and evaluated with respect to the mechanical properties and long-term stability.



**Figure 1.** Schematic illustration of different silicone networks structures. a) unimodal network, b) homogeneous bimodal network, and c) heterogeneous bimodal network.

[1] Shit, S. C., & Shah, P. (2013). A review on silicone rubber. *National Academy Science Letters*, 36(4), 355–365. <https://doi.org/10.1007/s40009-013-0150-2>.

